Ple	ase print or type. (Form desig	ned for use on elite (12-pitch) ty	pewriter.)					Forn	n Approved. (OMB No. 2050	0-0039
1 ↑	UNIFORM HAZARDOUS	Generator ID Number	*	2. Page 1 of	3. Emergency Response	Phone	4. Manifest			1 112	,
Ш	WASTE MANIFEST	VAD980738548			See Block 1	4 below	<u> </u>	<u> </u>	716:	<u>JJK</u>	
Ш	5. Generator's Name and Mailir	5		が 万能	Generator's Site Address	(if different th	an mailing addre	ss)			
Ш	Alaskan Coppe 3200 Sixth Ave	r vvorks mie Cairb	17 Same								
	Generator's Phone:	124	Phone: 206-382-8370								
Ш	Generator's Phone: 6. Transporter 1 Company Nam		230.000.0030				U.O. EDA ID	V			
Ш	Dh. 1.2 M/C	ST INDUSTR,	1200 6220	برسي مده و			U.S. EPA ID	Number	my of Jones	77	1
Ш	7. Transporter 2 Company Nam	21 24 11 UU2 17K)	MY JEK V	1CF)	ANELO A EN EN		US FRAID	0001	1130	<u> </u>	
П	7. Hansporter 2 Company Nati	The Market Control of the Control of					U.S. EPA ID I	Number			
Ш	Designated Facility Name an	nd Site Address	<u> </u>	<u> </u>			11.0 EDAID				
	World Resource						U.S. EPA ID I	vumber			
	2113 West Sho	rman Graaf	Phone:				as every more	ethic wints some makes dis-	a new lease was large		
Ш	Facility's Phone:	353	(002) 233 9186				ALU	98073	DOOUL		
Ш				71 % 1	- 1			T			
	9a, 9b. U.S. DOT Description HM and Packing Group (if a	on (including Proper Shipping Name, any))	Hazard Class, ID Number,		10. Contai	T	11. Total Quantity	12. Unit Wt./Vol.	13. W	aste Codes	
	1		<u> </u>		No.	Type	Quantity	WEIVOI.			
용	X RQ, NA307	T, Hazardous waste,	colld, n.o.s.					1.1.12	F006		
I₹	(F008), 9, II				ØØZ	CF	2743	P			
GENERATOR	2.		<u> </u>		Jr 32 Em	200	2 3 7 465				
병											
\prod											
Ш	3.						jaja, a				
Ш				147							eniskindoministes), sä l
Н											1
Ш	4.					fraggers			1 1 1 1 1 1 1 1		
Ш	F PALACEMAN					44.4			and a sure of the		
П											
Ш	14. Special Handling Instruction	s and Additional Information		3 - 3 - 3 - 3 - 3 - 3		and the second date.			ma 7000		
Ш					219 129 H 2		ngy gg	MIA	u) Company		
Ш	manage agreement is greater		6 2 11 30		Call	INFOT	RAC at: 1	-800-5	15-5053		ĺ
Ш	m07318		SRA 28	07	Use	compa	ry name "	World i	Resource	s Compa	any
Ш	15. GENERATOR'S/OFFERO	R'S CERTIFICATION: I hereby deci	are that the contents of this	consignment a	re fully and accurately de	scribed above	by the proper sh	ipping name	, and are classi	fied, packaged,	5
Ш	Exporter, I certify that the o	rded, and are in all respects in proper contents of this consignment conform	condition for transport according to the terms of the attached	ording to applic I EPA Acknowle	able international and nati	onal governm	ental regulations.	If export shi	pment and I an	the Primary	
Ш	I certify that the waste mini	imization statement identified in 40 C	FR 262.27(a) (if I am a large	e quantity gene	rator) or (b) (if am a sma	Il quantity ger	nerator) is true.				
Н	Generator's/Offeror's Printed/Typ			Sign	ature /		et de la company	**************************************	Month	21	Year
1	Gersia H.	THOMPSON			<i>\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</i>	or section of the section	and the state of t	The second secon	0(027 1	/ /
탈	16. International Shipments	Import to U.S.		Export from U	S. Port of en	try/exit:					
	Transporter signature (for expor				Date leavi	ng U.S.:	. <u></u>		<u> </u>		
置	17. Transporter Acknowledgment			<u> </u>		11.11					
용	Transporter 1 Printed/Typed Nan	AKFII	an dec	Sigh	àture	1 /1 -	57		Month	Day Y	/ear
S	Transporter 2 Printed/Typed Nar		A Maria Cara (Maria		am I B	ALL L	Line 1		16	27 /	1
TRANSPORTER	manaporter 21 milear typed tvair			Sign	ature				Month I	Day Y	/ear
<u> </u>	18. Discrepancy					<u> </u>		444 F.			
\prod	18a. Discrepancy Indication Spa			+ 15							
	roa. Discrepancy indication spa	Quantity	Type	10,1185	Residue		Partial Reje	ection	L	Full Rejection	
									Maria Maria Litaran		1
≥	18b. Alternate Facility (or General	ator)	<u>ta a va ka a a a Cabo da B</u>		Manifest Reference	Number:	U.S. EPA ID N	umher			
긎	a mage to						0.0. 2. 71.0 11				
F	Facility's Phone:										
읍	18c. Signature of Alternate Facili	ity (or Generator)	<u> Alberta de la proposition (Medicale)</u>		<u> </u>	1,305 x 6, 2, 365 x 6	* <u>135 H. H. M. A.</u>		Month	Day	Year
Ā									A M	Rest 15	
20	19. Hazardous Waste Report Ma	anagement Method Codes (i.e., code	s for hazardous waste treat	ment disposal	and recycling systems)	a, to see the fig. to	<u> Prvi issist, r</u>				
DESIGNATED FACILITY	1. Stranger of the second	2.		3.	And the second of the second o	Line State of the	4,	<u> 28255 5 2 2</u>		<u>ar ing Salatan</u> Basalan	
$ \cdot $	H010										
$\ \ \ $	20. Designated Facility Owner or	Operator: Certification of receipt of	hazardous materials covere	d by the manife	est except as noted in Item	18a_	<u>من خدا سند</u>	<u></u>	<u></u>	<u>ara a di selitari.</u> Tanga	
$\ \ \ $	Printed/Typed Name		dies		ature				Month	Day Y	'ear
[↓		arid. Kno'sa	<i>i</i> S	1		16			07	10611	Section .
EPA	Form 8700-22 (Rev. 3-05) P	revious editions are obsolete.	eset.			Г	ESIGNATE	ED EAC	LITY TO	- V	TOB

WORLD RESOURCES CO.

9ROSS 1292 15
TAKE 77 15
NET 1205 15

10:25AM 07/06/2011
WORLD RESOURCES CO.
9ROSS 1455 15
TARE 77 15
NET 1378 15

10:26AM 07/06/2011
ACCUM 2583 16
07/06/2011 10:26AM

705

Ple		int or type. (Form desig			vriter.)						n Approved.	OMB No.	2050-0039
1	W	ASTE MANIFEST		umber 30738546	े के विक	2. Page 1 of	1	oonse Phone k 14 below	4. Manifest		716	1 J.	JK
		nerator's Name and Mailin				*	Generator's Site Add	iress (if different th	an mailing addres	ss)			
	Gene	Naskan Copper 3200 Sixth Aver Seattle, WA 981 praor/ser1 Company Name	nue South 124	2	hone: 06-382-8379	T.		¥.	110 650 65	`~			
Ш	D	ensporter 1 Company Name	of Mari	1. 1. 1	S. Carre	e e de grande			U.S. EPA ID N		سور سوس	7 - 1	
П	100	MILIT TUP.	1 mm 11 31	V3716/1	1 JEX V	16 3		A.	JCAK.	200 f	1/20	200	
П	7. Tra	ensporter 2 Company Name	е						U.S. EPA ID N	lumber			
Ш		signated Facility Name and				······································			U.S. EPA ID N	lumber			
	1	World Resources Company 8113 West Sherman Street Phone; Tolleson, AZ 85353 (602) 233 9166 acilitys Phone;							AZD:	98073	35500		
	9a. HM	9b. U.S. DOT Description and Packing Group (if a		r Shipping Name, Haz	ard Class, ID Number,		10. Co No.	ontainers Type	11. Total Quantity	12. Unit Wt./Vol.	13. \	Vaste Code	s
GENERATOR -	X	^{1.} RQ, NA3077 (F006), 9, III	, Hazardoi I	us waste, so	lid, n.ø.s.		00) CF	2743	þ	F006		
買		2.				- 1960 - 1960	20. 80 E						
原		[**				77.50							
Ĭĭ													
Ш	 									ļ	ļ		
		3.								: '			
Ш													
Н				• • • • • • • • • • • • • • • • • • • •									
П		4.											
Ш													
П													
Ш	14. S	pecial Handling Instructions	and Additional Inf	ormation			1	MERGE	NCY CO	NTA	~T		
		was and a					ā	all INFOT	RAC at: 1-	800-5	35-5053		
П	\cap	007318	•				U	lse compa	ny name "	∕/orld l	Resourc	es Cor	npany
Ш	15. (GENERATOR'S/OFFEROR	R'S CERTIFICATIO	N: I hereby declare	that the contents of this	consignment a	are fully and accurate	ly described above	by the proper shi	pping name	e, and are clas	sified, packa	aged.
П	1	marked and labeled/placard	ded, and are in all r	espects in proper cor	dition for transport acco	rding to applic	cable international and	d national governm	ental regulations.	If export sh	ipment and I a	m the Prima	ary
		Exporter, I certify that the co							nerator) is true				
		ator's/Offeror's Printed/Typ	ed Name	······································	EGELET (G) (II) GITS & Idige		nature //	Januar quantity go	ART COLOR TO GUE.		Mon	h Day	Year
Ш	f 3	wers A.	THUM	1250-1		ı	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	يبيعهم وسيد	March 1 to the desired by the control of the contro	The second second second		6129	1771
<u> </u>	_	ernational Shipments		'''' 			And the state of t	*. Y			100	400	1 /
Ę		•	Import to	U.S.		Export from L		of entry/exit:					
R		porter signature (for export ensporter Acknowledgment		riale			Date	leaving U.S.:					
		onter 1 Printed/Typed-Nam		iais		Qia.	natura				145-4	h De	Vee
ğ		Salar Maria	Aren			aigi I	nature	10 10	V.		Mont		Year
TRANSPORTE	Transr	porter 2 Printed/Typed Nam	ne			Qia-	nature	1 3 F / San San			Mon!		Vaca
Z						ajgi I	ratul C				Mont	h Day	Year
	10 D	screpancy									L		
†													
	18a. D	iscrepancy Indication Space	Ce Quar	ntity	Туре		Residue		Partial Reje	ection		Full Reje	ection
		•											I
الح	40L A	Itamata Fasilit: / O-	··				Manifest Refer	ence Number.					
틸	iod. A	Iternate Facility (or Genera	tor)						U.S. EPA ID N	umber			!
힣													l
图		r's Phone:											
DESIGNATED FACILITY	18c. S	ignature of Alternate Facilit	y (or Generator)		· · · · · · · · · · · · · · · · · · ·				· ·		Mor	th Day	Year
Ž													
မ္ဗြ	19. Ha	zardous Waste Report Mar	nagement Method	Codes (i.e., codes for	hazardous waste treatr	nent, disposal	, and recycling system	ns)					
씽	1.			2.		3.		- :	4.		į i		
,		H010				- 1							
	20. De	signated Facility Owner or	Operator: Certifica	tion of receipt of haza	rdous materials covered	by the manif	est except as noted in	Item 18a					3 7
		/Typed Name		, , , , , , , , , , , , , , , , , , , ,			nature	-			Mon	th Day	Year
1						1	:				ſ	1	
EPA	Form	8700-22 (Rev. 3-05) Pr	evious editions	are obsolete.				100 mm 100 mm 100 mm 100 mm		ENICE	ATOD'C	INITA	
									. (スロNEK	ATOR'S	INI I IAL	. COPY

U.S. EPA Form 8700-22

Read all instructions before completing this form.

- 1. This form has been designed for use on a 12-pitch (elite) typewriter which is also compatible with standard computer printers, a firm point pen may also be used-press down hard.
- 2. Federal regulations require generators and transporters of hazardous waste and owners or operators of hazardous waste treatment, storage, and disposal facilities to complete this form (EPA Form 8700-22) and, if necessary, the continuation sheet (EPA Form 8700-22A) for both inter- and intrastate transportation of hazardous waste.

Public reporting burden for this collection of information is estimated to average: 30 minutes for generators, 10 minutes for transporters, and 25 minutes for owners or operators of treatment, storage, and disposal facilities. This includes time for reviewing instructions, gathering data, completing, reviewing and transmitting the form. Any correspondence regarding the PRA burden statement for the manifest must be sent to the Director of the Collection Strategies Division in EPA's Office of Information Collection at the following address: U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW., Washington, DC 20460. Do not send the completed form to this address

I. Instructions for Generators

Item 1. Generator's U.S. EPA Identification Number

Enter the generator's U.S. EPA twelve digit identification number, or the State generator identification number if the generator site does not have an EPA identification number.

Enter the total number of pages used to complete this Manifest (i.e., the first page (EPA Form 8700-22) plus the number of Continuation Sheets (EPA Form 8700-22A), if any).

Item 3. Emergency Response Phone Number

Enter a phone number for which emergency response information can be obtained in the event of an incident during transportation. The emergency response phone number must:

- 1. Be the number of the generator or the number of an agency or organization who is capable of and accepts responsibility for providing detailed information about the shipment;
- 2. Reach a phone that is monitored 24 hours a day at all times the waste is in transportation (including transportation related storage); and
- 3. Reach someone who is either knowledgeable of the hazardous waste being shipped and has comprehensive emergency response and spill cleanup/incident mitigation information for the material being shipped or has immediate access to a person who has that knowledge and information about the shipment.

Note: Emergency Response phone number information should only be entered in Item 3 when there is one phone number that applies to all the waste materials described in Item 9b. If a situation (e.g., consolidated shipments) arises where more than one Emergency Response phone number applies to the various wastes listed on the manifest, the phone numbers associated with each specific material should be entered after its description in Item 9b.

Item 4. Manifest Tracking Number

This unique tracking number must be pre-printed on the manifest by the forms printer.

Item 5. Generator's Mailing Address, Phone Number and Site Address

Enter the name of the generator, the mailing address to which the completed manifest signed by the designated facility should be mailed, and the generator's telephone number. Note, the telephone number (including area code) should be the normal business number for the generator, or the number where the generator or his authorized agent may be reached to provide instructions in the event the designated and/or alternate (if any) facility rejects some or all of the shipment. Also enter the physical site address from which the shipment originates only if this address is different than the mailing address.

Item 6. Transporter 1 Company Name, and U.S. EPA ID Number

Enter the company name and U.S. EPA ID number of the first transporter who will transport the waste. Vehicle or driver information may not be entered here.

Item 7. Transporter 2 Company Name and U.S. EPA ID Number

If applicable, enter the company name and U.S. EPA ID number of the second transporter who will transport the waste. Vehicle or driver information may not be entered here.

If more than two transporters are needed, use a Continuation Sheet(s) (EPA Form 8700-22A).

Item 8. Designated Facility Name, Site Address, and U.S. EPA ID Number

Enter the company name and site address of the facility designated to receive the waste listed on this manifest. Also enter the facility's phone number and the U.S. EPA twelve digit identification number of the facility.

Item 9. U.S. DOT Description (Including Proper Shipping Name, Hazard Class or Division, Identification Number, and Packing Group)

Item 9a. If the wastes identified in Item 9b consist of both hazardous and nonhazardous materials, then identify the hazardous materials by entering an "X" in this Item next to the corresponding hazardous material identified in Item 9b.

Item 9b. Enter the U.S. DOT Proper Shipping Name, Hazard Class or Division, Identification Number (UN/NA) and Packing Group for each waste as identified in 49 CFR 172. Include technical name(s) and reportable quantity references, if applicable.

Note: If additional space is needed for waste descriptions, enter these additional descriptions in Item 27 on the Continuation Sheet (EPA Form 8700-22A). Also, if more than one Emergency Response phone number applies to the various wastes described in either Item 9b or Item 27, enter applicable Emergency Response phone numbers immediately following the shipping descriptions for those Items.

Item 10. Containers (Number and Type)

Enter the number of containers for each waste and the appropriate abbreviation from Table I (below) for the type of container.

TABLE I .- TYPES OF CONTAINERS

BA = Burlap, cloth, paper, or plastic bags.

CF = Fiber or plastic boxes, cartons, cases. CM = Metal boxes, cartons, cases (including

roll-offs).

CW = Wooden boxes, cartons, cases.

CY = Cylinders.

DF = Fiberboard or plastic drums, barrels, kegs.

DM = Metal drums, barrels, kegs.

TC = Tank cars.

DT = Dump truck.

TP = Portable tanks.

TT = Cargo tanks (tank trucks).

DW = Wooden drums, barrels, kegs. HG = Hopper or gondola cars.

Item 11. Total Quantity

Enter, in designated boxes, the total quantity of waste. Round partial units to the nearest whole unit, and do not enter decimals or fractions. To the extent practical, report quantities using appropriate units of measure that will allow you to report quantities with precision. Waste quantities entered should be based on actual measurements or reasonably accurate estimates of actual quantities shipped. Container capacities are not acceptable as estimates.

Item 12. Units of Measure (Weight/Volume)

Enter, in designated boxes, the appropriate abbreviation from Table II (below) for the unit of measure

TABLE II .-- UNITS OF MEASURE

G = Gallons (liquids only).

N = Cubic Meters.

K = Kilograms.

P = Pounds.

L = Liters (liquids only).

T = Tons (2000 Pounds).

M = Metric Tons (1000 kilograms).

Y = Cubic Yards

Note: Tons, Metric Tons, Cubic Meters, and Cubic Yards should only be reported in connection with very large bulk shipments, such as rail cars, tank trucks, or barges.

Item 13. Waste Codes

Enter up to six federal and state waste codes to describe each waste stream identified in Item 9b. State waste codes that are not redundant with federal codes must be entered here, in addition to the federal waste codes which are most representative of the properties of the waste

Item 14. Special Handling Instructions and Additional Information

- 1. Generators may enter any special handling or shipment-specific information necessary for the proper management or tracking of the materials under the generator's or other handler's business processes, such as waste profile numbers, container codes, bar codes, or response guide numbers. Generators also may use this space to enter additional descriptive information about their shipped materials, such as chemical names, constituent percentages, physical state, or specific gravity of wastes identified with volume units in
- 2. This space may be used to record limited types of federally required information for which there is no specific space provided on the manifest, including any alternate facility designations; the manifest tracking number of the original manifest for rejected wastes and residues that are re-shipped under a second manifest; and the specification of PCB waste descriptions and PCB out-of-service dates required under 40 CFR 761.207. Generators, however, cannot be required to enter information in this space to meet state regulatory requirements

Item 15. Generator's/Offeror's Certifications

- 1. The generator must read, sign, and date the waste minimization certification statement. In signing the waste minimization certification statement, those generators who have not been exempted by statute or regulation from the duty to make a waste minimization certification under section 3002(b) of RCRA are also certifying that they have complled with the waste minimization requirements. The Generator's Certification also contains the required attestation that the shipment has been properly prepared and is in proper condition for transportation (the shipper's certification). The content of the shipper's certification statement is as follows: "I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent." When a party other than the generator prepares the shipment for transportation, this party may also sign the shipper's certification statement as the offeror of the shipment.
- 2. Generator or Offeror personnel may preprint the words, "On behalf of" in the signature block or may hand write this statement in the signature block prior to signing the generator/offeror certification, to indicate that the individual signs as the employee or agent of the named principal.

Note: All of the above information except the handwritten signature required in Item 15 may be pre-printed.



TO:

WORLD RESOURCES COMPANY ARIZONA RECYCLING FACILITY

World Resources Company 8113 West Sherman Street

Tolleson, AZ 85353

In partnership with the environment

LDRN LAND DISPOSAL RESTRICTION NOTICE

A copy of this Notice must be retained by the generator for at least three (3) years pursuant to U.S. EPA regulations, 40 CFR §268.7(a)(8). Moreover, the generator should check the hazardous-waste regulations of its own state, because if there is a state analogue to the federal regulation, it may require longer retention time, such as five (5) years. It should also be noted that the federal regulation (and, typically, a state analogue as well) requires the retention period to be extended in specified cases.

	Alaskan Copper Works
	(Company Name)
7-11	3200 Sixth Avenue South
	(Address)
	Seattle, WA 98124
	(Phone)
·:	008027161 JJK
t:	06-78-11
	:

This shipment of material is subject to the land disposal restrictions of 40 CFR Part 268. The applicable Land Disposal Restriction Information is provided in accordance with 40 CFR §268.7(a)(2) and is shown below:

EPA Material Number	Treatability Group	CFR Reference for Treatment Standards
F006	Non-waytewater	40 CFR §268.40
	Show	
	(Signature) Servero A.	Thompson
	(Prir	nted Name)
	Enviro, Ass	+.
		(Title)

PAF: rek/Facility Forms Manual/Transportation-072

Date: 5/16/2007, Revision: Origina

Copyright 2006 World Resources Company

Material Safety Data Sheet

MSDS ID # AZ-10-G

F006 Recyclable Material (Filter Cake)

Recycler:

World Resources Company

8113 West Sherman Street

Tolleson, AZ 85353

Tel: (602) 233 9166 Fax: (623) 936 9164

January 2011 DLS

Call CHEMTREC only in the event of emergencies during shipping that

involve a spill, leak, fire or accident

(all calls are recorded)

For Emergencies During Shipping in the US or Canada, Day or Night,

Call: CHEMTREC 800-424-9300

Use Company Name: "World Resources Company"

From other countries call: 703-527-3887

Section 1 Material Identification **EPA Waste Classification:** F006

Generic Name: Electroplating/Metal-Finishing Wastewater Treatment Sludge

Chemical Family: Metallic (Hydroxide) Precipitates

Synonym: Non-ferrous Metal Hydroxide Filter Cake

DOT Shipping Name:

RQ, Hazardous waste solid, n.o.s. (F006)

DOT Hazard Class:

DOT Packing Group: 111

DOT Identification Number:

NA 3077

Guide 171 of the North American Emergency Response Guidebook Applies

Section 2	Transport to			Hazardous Ingredients
Ingredient:	CAS Number:	Content (%):	OSHA PEL (8hr TWA):	Toxicology (rat, oral):
Copper Hydroxide	20427-59-2	0 – 30	1.0 mg(Cu)/m ³ (Dust)	LD-50 1,000 mg/kg
Nickel Hydroxide	12054-48-7	0 – 15	1.0 mg(Ni)/m³ (Dust)	LD-50 1,500 mg/kg
Calcium Hydroxide	1305-62-0	0 – 15	5.0 mg/m³ (Dust)	LD-50 7,340 mg/kg
Diatomite	61790-53-2	0 – 10	5.0 mg/m ³ (Dust)	LD-50 Not Determined

Section 3 Physical and Reactivity Data

Description: Solid, Clay-like, Gray/Green

to Brown, Moisture ~ 30 - 80%

Specific Gravity: 2.5 to 3.5 Solubility: Insoluble in Water Density: 50 - 90 lbs/ft

Incompatible Reactivity: None Known Vapor Pressure: Insignificant

Boiling Point:

Above 2.600°C

Melting Point: Above 1,800°C pH: 7.0 to 10.0 Odor: Polymerization: Will Not Occur

Section 4 Fire and Explosion Data

Avoid Contact with Acids

Flashpoint: Nonflammable Special Firefighting Procedures:

Decomposition (Due to Fire or Explosion): None Oxidation: Non-oxidizing **Explosive:** Non-explosive

NFPA Fire Diamond

Section 5 **Toxicity**

Listed Carcinogen Components: Nickel Toxicology: See Sec. 2 Route of Entry: Inhalation, Ingestion

Section 6 Health Effects and First Aid Inhalation: Dust may irritate mucous membranes and upper respiratory tract. Remove to fresh air and treat symptoms.

Stability:

Ingestion: Rare in industry. Induce vomiting (do not induce vomiting or give a liquid to an unconscious person) and call a physician.

Dust may irritate eyes. Wash with copious amounts of water for 15 minutes, if effects persist, call a physician. Eyes:

Skin: Dust may irritate skin with prolonged contact. Wash with soap and water.

Comments: Special attention should be given to employees with anemia, restricted respiratory abilities, lung cancer, permanent kidney damage and

metal-sensitive skin or skin lesions. Unprotected long-term overexposure may cause effects to the following target organs or body

systems - blood, digestive, respiratory, liver, kidneys and skin.

Section 7 **Precautions for Safe Handling**

Handling: Good personal and industrial hygiene should always be practiced. It is recommended that personal protective equipment (PPE) be used

by personnel who will come in contact with this material. The PPE should include eye protection, respirator and gloves.

Keep covered and avoid conditions where wind could cause dispersal. Do not eat, drink or smoke where material is handled to avoid Storage:

inhalation or ingestion. Store in a dry area under cover to protect from rain.

Use cleaning procedures that avoid creating excessive dust. Vacuum when possible. Package material and ship to consignee or return to Spills:

World Resources Company at the above address.

Section 8 **Control Measures**

Respiratory Protection: NIOSH-MSHA approved respirators as required. Other Protective Equipment:

Eye Protection:

Safety glasses recommended.

Coveralls are recommended, but not required. Hand Protection: Gloves recommended.

Section 9 Generator's Verification This MSDS describes the material listed in the attached Manifest #: 008027461 33

Company Name: Alaskan Copper Works

Company Address: 3200 Sixth Avenue South, Seattle, WA 98124

Telephone: 206-382-8379

6-29-4 Signature:



GENERAL INTERNAL PURCHASE REQUISITION

ITEM NO.	ACCT. NO.	QUAN- TITY	UNIT	DESCRIPTION & PART NUMBERS	UNIT PRICE	TOTAL LINE ITEM PRICE
1	6.686	1	65	Recycle - TRANSPORTATION		
				OF F-006 Studge		
		· · · · · · · · · · · · · · · · · · ·	1 2 1 2 1	A)		
		*.				
	÷.		1			\\
¥ .		-, 1.14.				
1					.72	
		1.70	13.8			
	23.5	, ,				
i i,			*			
		\$1.00 \$1.00	8, 12			
\$ v.		N. 197	:			
· ·		- 2	A. (11)			
	: 12 - 1					
Ņ.						
		1.1.1.1				
* 1	, 1				1.	
3		÷				
REQUE	STED BY	Alle Control of the C		DATE APPROVED BY	DAT	E/ 2007 200
DIV.	HERE FOR RET	URN OF YELL	POM CUD.	6/25/11 TO BE FILLED IN BY PURCHASING DEPT.	- 6	129/11
	SE OR USE	Samuel Control of the	Ecys c	\sim	18	
DELIVE	RY NEEDED B	v 6/3	0//1	VENDOR		
SHIPTO	O ADDRESS	628	5.	HANDEN ST CONTACT TELEPH NO.	HONE	
SUGGES	STED WOOD	15) 350411	DELIVERY PROMISED SHIP VI	A	

					MARKE	215 1110			
	1	=							
	Æ		۰ الا	5 3433					
- (Ŧ	le i) A		18	K I	l N		
1	W	9/95	3 /22			***	7. 3.		
	v							1	

GENERAL INTERNAL PURCHASE REQUISITION

ITEM NO.	ACCT. NO.	QUAN- TITY	UNIT	DESCRIPT	ION & PART NUMBERS	UNIT PRICE	TOTAL LINE ITEM PRICE		
<u></u>	6.686	1	Lot	Recicie :	TRANSportation				
	En 1885 a Str.			of Fo	Transportation 06 Studge				
					9				
			4000				20 Aug. 10 (1975)		
	Mag								
		No.							
<u> </u>									
<u> </u>									
مراسك	STEDBY		Partie de la constant	DATE/ G/25/11	APPROVED BY MON	25-6	DATE 6/29/11		
7	HERE FOR RET		LOW COP Εςγε ς		TO BE FILLED IN BY PURCHASING DEPT. P.O. NUMBER P.O. NUMBER				
DELIVI	ERY NEEDED I	ву 6/3	70///		VENDOR				
SHIP T	O ADDRESS	678	5.	HANSING 50	CONTACT	TELEPHONE NO.			
	STED OUN Rev. 7/96	4 1	フ <u>愛Sみ</u>	ices Co	DELIVERY PROMISED	SHIP VIA			